

Technical Data Sheet

Date of Issue 11/10/2016

Rev. 01_13/07/2018

9062 **Professional Grade Duct Tape**



Product Description

Professional grade, PE laminated synthetic cloth duct tape, coated with a semi-permanent synthetic rubber – resin solvent free adhesive. Its adhesive formulation resists at low tempera-ture with excellent bonding to multiple rough and smooth surfaces, especially PE and plastic sheeting. It is suitable for high demand contractor applications and specifically designed for sealing and jointing operations in asbestos abatement. For clean removal, long-term UV exposure not recommended.

Features

- Easy tear
- Excellent adhesion to PE
- Good holding power on PE
- Low temperature resistance
- · Excellent conformability
- Suitable for multiple surfaces
- Perfectly waterproof

Main Applications

- · Jointing and sealing asbestos abatement and agriculture
- General repair in construction sites
- Masking in Wall plastering
- · Pipe wrapping and duct seaming
- · Double glazing unit sealing

| Technical Data | | | |
|--------------------------|--------------|----------------|---------------------|
| | Metric | Imperial Units | Test Method |
| Total weight* | 153 g/m2 | 153 g/m2 | ISO 536 |
| Total thickness* | 165 µm | 6.5 mils | Internal |
| MD tensile strength* | 34 N/cm | 19.4 Lbs/in | AFERA 5004/PSTC 131 |
| MD elongation at break* | 20 % | 20 % | AFERA 5004/PSTC 131 |
| Adhesion to steel plate* | 11.5 N/cm | 105.1 oz/in | AFERA 5001/PSTC 101 |
| Service temperature | -10°C / 60°C | 14°F / 140°F | |

Backing material

PE laminated synthetic cloth

Type of adhesive

Synthetic rubber resin - solvent free

*Typical value

Available colour











Technical Information and Product Use

All technical information and Product Use
All technical information and data above mentioned are provided to the best of our knowledge on the basis of our practical experience. Figures shown refer to average values only, based on tests carried out in conditioned laboratory and are not valid for specification. The company reserves the right to modify or change the products at any time without notice. The accuracy or completeness of such information is not guaranteed. The technical information, suggestions and other statements contained in this document have been compiled for your guidance and usage. The user of the product needs to make sure that the product is used as per the instructions and suggestions provided. It is the user's sole responsibility to determine the suitability of the product in actual application under specific conditions.

Storage and Shelf Life

Storage and storage in dry area away from direct sunlight temperature should range from $59^{\circ}F/15^{\circ}C$ to $77^{\circ}F/25^{\circ}C$ with max relative humidity of $50^{\circ}M$. Tape and jumbo roll should be used respectively within $12^{\circ}M$ months and $6^{\circ}M$ months from date of manufacture. Evergard, a trading name of SMH Products Ltd, does not take responsibility for the defective material if is not stored and used in accordance with the conditions