

SerpiCoat™

ACCORDING TO UK-REGULATIONS

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name SerpiCoat™
Product code 2420 (White).
CAS No. Not applicable.
Registration number(s) Not known.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Asbestos encapsulant.
Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Company Identification ICP Building Solutions Group
Address of Manufacturer 150 Dascomb Road
Andover, MA 01810
USA
Telephone 978-623-9987
Fax 978-482-2048
E-mail info@fiberlock.com

1.4 Emergency telephone number

CHEM TEL 813-248-0585 (24 hour(s))

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

United Kingdom Regulations Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.

2.2 Label elements

According to UK-regulations
Product Name SerpiCoat™
Hazard Pictogram(s) None.
Signal Word(s) None.
Hazard Statement(s) H412: Harmful to aquatic life with long lasting effects.
EUH208: Contains: (2-methyl-2H-isothiazol-3-one) May produce an allergic reaction.
Precautionary Statement(s) P273: Avoid release to the environment.
P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SerpiCoat™
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS
3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration number(s)	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Titanium dioxide	13463-67-7	236-675-5	5.0 – 15.0	Not classified	None
Kaolin	1332-58-7	310-194-1	5.0 – 15.0	Not classified	None
Propane-1,2-diol	57-55-6	200-338-0	1.0 – 5.0	Not classified	None
Zinc oxide	1314-13-2	215-222-5	1.0 – 1.5	Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS09
Acetaldehyde	75-07-0	200-836-8	<0.1	Flam. Liq. 1 H224 Eye Irrit. 2 H319 STOT SE 3 H335 Muta. 2 H341 Carc. 1B H350	GHS02 GHS08 GHS07
Vinyl acetate	108-05-4	203-545-4	<0.1	Flam. Liq. 2 H225 Acute Tox. 4 H332 STOT SE 3 H335 Carc. 2 H351	GHS02 GHS08 GHS07
Methacrylic acid	79-41-4	201-204-4	<0.01	Acute Tox. 4 H302 Acute Tox. 4 H312 Skin Corr. 1A H314	GHS05 GHS07
2-methyl-2H-isothiazol-3-one	2682-20-4	220-239-6	<0.01	Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1A H317 Eye Dam. 1 H318 Acute Tox. 2 H330 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS05 GHS07 GHS09

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES
4.1 Description of first aid measures

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

Wash with plenty of water.

SerpiCoat™

Eye Contact Flush eyes with water for at least 15 minutes while holding eyelids open. If symptoms persist, obtain medical attention.

Ingestion Wash out mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None known.

5.2 Special hazards arising from the substance or mixture

None anticipated.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Stop leak if safe to do so. Wash hands thoroughly after handling.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Transfer to a container for disposal.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Provide adequate ventilation. Wash hands thoroughly after handling. Do not eat, drink or smoke during work.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

Asbestos encapsulant.

SerpiCoat™

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Vinyl acetate	108-05-4	5	17.6	10	35.2	
Acetaldehyde	75-07-0	20	37	50	92	Carc
Titanium dioxide – total inhalable	13463-67-7		10			
Titanium dioxide – respirable	13463-67-7		4			
Kaolin, respirable dust	1332-58-7		2			
Propane-1,2-diol total vapour and particulates	57-55-6	150	474			
Propane-1,2-diol particulates	57-55-6		10			
Methacrylic acid	79-41-4	20	72	40	143	

Source: UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020), United Kingdom

Carc

Capable of causing cancer and/or heritable genetic damage.

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protection equipment



Eye Protection

Wear protective eye glasses for protection against liquid splashes.



Skin protection

Not normally required. Wear suitable gloves if prolonged skin contact is likely.
Breakthrough time of the glove material: refer to the information provided by the gloves' producer.



Respiratory protection

Normally no personal respiratory protection is necessary.
Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.



Thermal hazards

Not applicable.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SerpiCoat™**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

Appearance	Liquid.
	Colour : White
Odour	Odourless.
Odour threshold	Not established.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash Point	Not applicable.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Density (g/ml)	Not available.
Relative density	Not available.
Solubility(ies)	Solubility (Water) : Miscible.
	Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature (°C)	Not available.
Viscosity	Not available.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SerpiCoat™**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**

Acute toxicity - Ingestion	Low acute toxicity.
Skin corrosion/irritation	Non-irritant.
Serious eye damage/irritation	Non-irritant.
Skin sensitization data	Contains: (2-methyl-2H-isothiazol-3-one) May produce an allergic reaction.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	There is no evidence of mutagenic potential.
Carcinogenicity	No evidence of carcinogenicity.
Reproductive toxicity	No evidence of reproductive effects.
Lactation	Not classified.
STOT - single exposure	None anticipated.
STOT - repeated exposure	None anticipated.
Aspiration hazard	Not classified.

11.2 Other information

Not known.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Harmful to aquatic life with long lasting effects. No data.

12.2 Persistence and degradability

Part of the components are biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Miscible with: Water. The product is predicted to have high mobility in soil.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Dispose of empty containers and wastes safely.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SerpiCoat™

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations Not known.

National regulations

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

REACH: ANNEX XIV list of substances subject to authorisation

Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Vinyl acetate (108-05-4), Acetaldehyde (75-07-0), Zinc oxide (1314-13-2), Methacrylic acid (79-41-4), 2-methyl-2H-isothiazol-3-one (2682-20-4)

Community Rolling Action Plan (CoRAP) Vinyl acetate (108-05-4), Titanium dioxide (13463-67-7), Zinc oxide (1314-13-2)

Regulation (EC) N° 850/2004 of the European Parliament and of the Council Not listed

on persistent organic pollutants

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council Not listed

concerning the export and import of hazardous chemicals

15.2 Chemical Safety Assessment

United Kingdom A REACH chemical safety assessment has not been carried out.

SerpiCoat™**SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1-16

LEGEND

Hazard Pictogram(s)	GHS02: GHS: Flame
	GHS05: GHS: Corrosion
	GHS06: GHS: Skull and crossbones
	GHS07: GHS: Exclamation mark
	GHS08: GHS: Health hazard
	GHS09: GHS: Environment
Hazard classification	Flam. Liq. 1 : Flammable liquid, Category 1
	Flam. Liq. 2 : Flammable liquid, Category 2
	Acute Tox. 2 : Acute toxicity, Category 2
	Acute Tox. 3 : Acute toxicity, Category 3
	Acute Tox. 4 : Acute toxicity, Category 4
	Skin Corr. 1A : Skin corrosion/irritation, Category 1A
	Skin Corr. 1B : Skin corrosion/irritation, Category 1B
	Skin Sens. 1A : Skin sensitization, Category 1A
	Eye Dam. 1 : Serious eye damage/irritation, Category 1
	Eye Irrit. 2 : Serious eye damage/irritation, Category 2
	STOT SE 3 : Specific target organ toxicity — single exposure, Category 3
	Muta. 2 : Germ cell mutagenicity, Category 2
	Carc. 1B : Carcinogenicity, Category 1B
	Carc. 2 : Carcinogenicity, Category 2
Hazard Statement(s)	Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1
	Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1
	H224: Extremely flammable liquid and vapour.
	H225: Highly flammable liquid and vapour.
	H301: Toxic if swallowed.
	H302: Harmful if swallowed.
	H311: Toxic in contact with skin.
	H312: Harmful in contact with skin.
	H314: Causes severe skin burns and eye damage.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H330: Fatal if inhaled.

SerpiCoat™

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H341: Suspected of causing genetic defects.

H350: May cause cancer.

H351: Suspected of causing cancer.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P273: Avoid release to the environment.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ATE : Acute Toxicity Estimate

CAS : Chemical Abstracts Service

DNEL : Derived No Effect Level

EC : European Community

EINECS : European Inventory of Existing Commercial Chemical Substances

LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic

PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for United Kingdom Regulations
data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. ICP Building Solutions Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. ICP Building Solutions Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.